

# Chardon Grounding Kit




## APPLICATION

The grounding kits provided by Chardon offer the components required to safely ground and isolate the system. The grounding kits can be assembled with termination parts or connectors using copper cables.

## SCHEMATIC DIAGRAM


Installation of grounding components with copper braided belt:



## ORDERING INFORMATION

### Kit Components:

- / P1 - Constant Force Spring
- / P2 - Copper Tape
- / P3 - Preformed Grounding Strap



Grounding Kit P/N	Description	Cable Insulation O.D Range (mm)
<b>GKT-A</b>	Grounding Kit A w Copper braided belt	12.6~26.0mm
<b>GKT-B</b>	Grounding Kit B w Copper braided belt	19.9~27.1mm
<b>GKT-C</b>	Grounding Kit C w Copper braided belt	21.5~38.0mm
<b>GKT-D</b>	Grounding Kit D w Copper braided belt	37.0~60.0mm
<b>GKT-E</b>	Grounding Kit E w Copper braided belt	28.0~44.0mm



**CHARDON TAIWAN CORPORATION**

No.37 Min-Chie Road, Tung Lo  
Industrial Park, Miao Li, Taiwan 366

Tel : +886-37-984385

Fax : +886-37-984770

[www.chardongroup.com](http://www.chardongroup.com) • [info@chardongroup.com](mailto:info@chardongroup.com)